

efficiency coatings for hvac & r equipment

Revision: 16.07.2009

Page 1/5

Printing date 16.07.2009

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: EnergyGuard Thinner 5411
- · Article number: PU5411
- Application of the substance / the preparation Solvents
- · Manufacturer/Supplier: Monopoly B.V. Lassusstraat 9A 1075 GV Amsterdam The Netherlands Tel: (+31)-20-679-10-27 info@energyguardcorp.com
- · Further information obtainable from: Product Safety Department

· Information concerning particular hazards for human and environment:

· Information in case of emergency: Tel: (+31)-20-679-10-27

2 Hazards identification

Flammable.

· Hazard description:



R 10

R 36/38 Irritating to eyes and skin. · GHS label elements Warning H226 - Flammable liquid and vapour. Warning H315 - Causes skin irritation. H319 - Causes serious eye irritation. · Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. · Response: P302+P352 IF ON SKIN: Wash with plenty of soap and water. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. P362 P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. · Storage: P403+P235 Store in a well-ventilated place. Keep cool.

(Contd. on page 2)

GB



efficiency coatings for hvac & r

Revision: 16.07.2009

Printing date 16.07.2009

Trade name: EnergyGuard Thinner 5411

(Contd. of page 1)

Page 2/5

· Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization:
- · CAS No. Description
- 98-56-6 4-chloro-alpha, alpha, alpha-trifluorotoluene
- Identification number(s)
- · EINECS Number: 202-681-1

4 First aid measures

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

· Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.

- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- · Handling:
- · Information for safe handling: No special measures required.
- · Information about fire and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)



efficiency coatings for hvac & r equipment

Revision: 16.07.2009

Printing date 16.07.2009

Trade name: EnergyGuard Thinner 5411

(Contd. of page 2)

Page 3/5

- Personal protective equipment:
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· General Information	
Form:	Fluid
Colour:	Colourless
Odour:	Characteristic
· Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	139°C
· Flash point:	47°C
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixture are possible.
· Vapour pressure at 50°C:	38.6 hPa
· Density at 20°C:	1.34 g/cm ³
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Organic solvents:	100.0 %

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Dangerous reactions No dangerous reactions known.

07/2006/EC, Article 31 2000 efficiency coatings for hvac & r equipment

Printing date 16.07.2009

Trade name: EnergyGuard Thinner 5411

· Dangerous decomposition products: No dangerous decomposition products known.

(Contd. of page 3)

Page 4/5

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)	
· ADR/RID class:	3 Flammable liquids.
· Danger code (Kemler):	
· UN-Number:	1263
 Packaging group: 	III
· Hazard label:	3
 Description of goods: 	1263 PAINT RELATED MATERIAL
Maritime transport IMD	<i>IG:</i>
· IMDG Class:	3
· UN Number:	1263
· Label	3
 Packaging group: 	<i>III</i>
· EMS Number:	F-E,S-D
 Marine pollutant: 	No
	(Contd. on page 5)

GB -



Revision: 16.07.2009



efficiency coatings for hvac & r

Revision: 16.07.2009

Page 5/5

Printing date 16.07.2009

Trade name: EnergyGuard Thinner 5411

